CAN-BUS EMULATOR

USER MANUAL

Citroen C3 Aircross MD1CS003 ADBLUE EMULATOR INSTALLATION

EURO 6

www.canbusemulator.com/en

+90 530 939 55 10

erenakarsubasi

Citroen C3 Aircross MD1CS003 ADBLUE EMULATOR INSTALLATION

Our emulator does not support input NOx sensor simulation on some MD1CS 003 models. If you receive an inlet NOx sensor error code after the emulator connection, you need to reinstall the inlet NOx sensor.



If there are no Pin 38 and Pin 59 Life Lines in the 120 Socket, you can connect it to the Pin 35 and Pin 51 Life Line in the 70 Socket.

EMULATOR	70 Pin Socket
Black	PIN 4
White	PIN 49
Brown	PIN 33

EMULATOR	120 Pin Socket
GREEN	PIN 38
YELLOW	PIN 59
RED	PIN 86

Sockets to be pulled:

Input NOx Socket

Output NOx Socket

PM sensor

Adblue Pump Socket

70 PIN SOCKET
CAN-BUS
EMULATOR
www.canbusemulator.com
+90 530 937 46 36


120 PIN SOCKET

Input NOx Socket
CAN-BUS
EMULATOR
www.canbusemulator.com
+90 530 937 46 36

PM SENSOR
CAN-BUS
EMULATOR
www.canbusemulator.com
+90 530 937 46 36

Output NOx SENSOR
CAN-BUS
EMULATOR
www.canbusemulator.com
+90 530 937 46 36

Adblue pump socket
CAN-BUS
EMULATOR
www.canbusemulator.com
+90 530 937 46 36