



# USER MANUAL

NISSAN NAVARA ADBLUE EMULATOR INSTALLATION

**EURO 6**



 [www.canbusemulator.com](http://www.canbusemulator.com)

 +90 530 937 46 36


 [erenakarsubasi](#)

# NISSAN NAVARA ADBLUE EMULATOR INSTALLATION

1-first check DPF Soot Level when the vehicle is original Reset and Adblue Volume Reset will be performed first. Then, we will proceed with the installation of the emulator. After the emulator installation, the sockets will be disconnected.



EMULATOR SIDE	VEHICLE SIDE
RED CABLE	contact line
BLACK CABLE	chassis




EMULATOR SIDE	VEHICLE SIDE
WHITE CABLE	BLUE CABLE
BROWN CABLE	PINK CABLE



EMULATOR SIDE	NOX SIDE
YELLOW CABLE	BLUE CABLE
GREEN CABLE	PINK CABLE



Pull out the PM sensor and downstream NOx sensor.



Pull the large socket of the Adblue pump.



Adblue pump

**Sometimes , after connecting the emulator , an engine ECU update may be required using the online clip program.**

**You can remove the NISSAN NAVARA DPF  
After removing the DPF differential pressure sensor outlet pipe from the sensor and screwing it onto the exhaust pipe , you can remove the DPF filter.**

# Alternative Connection Diagram

EMULATOR	SOKET
WHITE	A4
BROWN	A3
GREEN	E1
YELLOW	E2
BLACK	H1
RED	D1

